




SPORTSYSTEMS
CANADA

www.ssci.ca

14 VINYL COATED FABRIC
LEATHER EMBOSSED FINISH
oz

**WALL &
SAFETY
PADDING**





FEATURES AND BENEFITS

- ✓ Flame retardant
- ✓ Tear and abrasion resistant
- ✓ Rot, mildew and fungus resistant
- ✓ UV pigments for weatherability

SPECIFICATIONS Vinyl Coated Fabric Typical Physical Properties

PROPERTY	TYPICAL TEST RESULTS	TEST METHOD
Composition	68.2% Vinyl 31.8% Polyester	ASTM D751
Total Weight (oz/yd ²)	14	FS 5040 ASTM D3776
Tear (lbs)	92 (w) x 83 (f)	FS 5134 ASTM D2261
Tensile (lb/inch)	335 (w) x 348 (f)	FS 5108 ASTM D5034
Adhesion (lb/inch)	28	FS 5970 ASTM D751
Flame resistance*	Pass	CSFM NFPA 701 ASTM E84
Stock width: 61"	Stock roll: 50 metres/111 lbs	

* The flame retardant material will not be removed with washing

COLOURS

**W01
BLACK**

**W03
ROYAL BLUE**

**W04
NAVY BLUE**

**W05
BEIGE**

**W06
YELLOW**

**W08
RED**

**W09
WHITE**

**W10
GREY**

**W012
FOREST GREEN**

**W013
BURGUNDY**

**W014
PURPLE**



SPORTSYSTEMS
CANADA

www.ssci.ca

Represented by:

Contact your SSCI account manager or
customer service for information
on any of our products or
capabilities.

1-877-600-4667



HEADQUARTERS
28 Industrial Drive
Almonte, ON K0A 1A0

TEL: **613-256-1112**
FAX: 613-256-5876